

Printing date: 05/29/2019	Revision: 05/29/2019
1 Identification	
· Product identifier	
· Trade name: Butane Lighter	
· Article number: No other identifiers	
<ul> <li>Recommended use and restriction on use</li> <li>Recommended use: Fuel</li> <li>Restrictions on use: No relevant information available.</li> </ul>	
Details of the supplier of the Safety Data Sheet     Manufacturer/Supplier:     Lamp Service Products     222 East Meats Avenue     Orange, CA 92865     Phone: (714) 288-9140     Information department: Product Safety Department	
• <b>Emergency telephone number:</b> ChemTel Inc. +1 (800)255-3924, +1 (813)248-0585	
2 Hazard(s) identification	
Classification of the substance or mixture	
Flam. Gas 1 H220 Extremely flammable gas.	
Press. Gas H280 Contains gas under pressure; may explode if heated.	
<ul> <li>Label elements</li> <li>GHS label elements</li> <li>The product is classified and labeled according to the Globally Harmonized System</li> <li>Hazard pictograms:</li> </ul>	ו (GHS).



· Signal word: Danger

· Hazard-determining components of labeling:

butane

propane

Hazard statements:

H220 Extremely flammable gas.

H280 Contains gas under pressure; may explode if heated.

Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Leaking gas fire: Do not extinguish, unless leak can be stopped safely. P377

Eliminate all ignition sources if safe to do so. P381

P410+P403 Protect from sunlight. Store in a well-ventilated place.

(Cont'd. on page 2)



acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 05/29/2019

Trade name: Butane Lighter

Revision: 05/29/2019

(Cont'd. of page 1)

• Other hazards There are no other hazards not otherwise classified that have been identified.

# 3 Composition/information on ingredients

### · Chemical characterization: Mixtures

### · Components:

106-97-8 butan

74-98-6

1	ents:		
3	butane	<ul> <li>Flam. Gas 1, H220</li> <li>Press. Gas, H280</li> </ul>	50-100%
3	propane	Flam. Gas 1, H220 Press. Gas, H280	10-25%

### Additional information:

For the listed ingredient(s), the identity and exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements refer to section 16.

# 4 First-aid measures

### <sup>•</sup> Description of first aid measures

· After inhalation: Supply fresh air; consult doctor in case of complaints.

### · After skin contact:

Generally the product does not irritate the skin.

- In cases of frostbite, rinse with plenty of water. Do not remove clothing.
- After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Unlikely route of exposure.

If symptoms persist consult doctor.

• Most important symptoms and effects, both acute and delayed: No relevant information available.

Indication of any immediate medical attention and special treatment needed:

No relevant information available.

# 5 Fire-fighting measures

# <sup>•</sup> Extinguishing media

• Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • For safety reasons unsuitable extinguishing agents: Water stream.

# Special hazards arising from the substance or mixture

Contains gas under pressure; may explode if heated.

In case of fire, the following can be released:

Carbon monoxide (CO)

### • Advice for firefighters

# · Protective equipment:

Wear fully protective suit.

(Cont'd. on page 3)



acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 05/29/2019

Trade name: Butane Lighter

Revision: 05/29/2019

(Cont'd. of page 2)

Wear self-contained respiratory protective device.

• Additional information: Cool endangered receptacles with water spray.

# 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions: Avoid release to the environment.

# <sup>•</sup> Methods and material for containment and cleaning up:

Allow to evaporate.

Ensure adequate ventilation.

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# 7 Handling and storage

# <sup>·</sup> Handling

# · Precautions for safe handling:

Open and handle receptacle with care.

Use only in well ventilated areas.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Pressurized container: May burst if heated.

# • Conditions for safe storage, including any incompatibilities

- · Storage
- Requirements to be met by storerooms and receptacles:
- Store in a cool location.
- Use only receptacles specifically permitted for this substance/product.
- · Information about storage in one common storage facility: Store away from oxidizing agents.

# • Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

- Protect from heat and direct sunlight.
- Specific end use(s): No relevant information available.

# 8 Exposure controls/personal protection

# <sup>•</sup> Control parameters

· Components with limit values that require monitoring at the workplace:

# 106-97-8 butane

REL (USA) Long-term value: 1900 mg/m<sup>3</sup>, 800 ppm

(Cont'd. on page 4)



Printing date: 05/29/2019

Trade name: Butane Lighter

Revision: 05/29/2019

	(Cont'd. of page 3)
TLV (USA)	Short-term value: 2370 mg/m <sup>3</sup> , 1000 ppm
EL (Canada)	Short-term value: 750 ppm
	Long-term value: 600 ppm
EV (Canada)	Long-term value: 800 ppm
LMPE (Mexico)	Long-term value: 1000 ppm
74-98-6 propan	e
PEL (USA)	Long-term value: 1800 mg/m <sup>3</sup> , 1000 ppm
REL (USA)	Long-term value: 1800 mg/m³, 1000 ppm
TLV (USA)	refer to Appendix F inTLVs and BEIs book
EL (Canada)	Long-term value: 1000 ppm
EV (Canada)	Long-term value: 1000 ppm
LMPE (Mexico)	Long-term value: 1000 ppm
General protec Engineering co Breathing equi Protection of h Wear protective Protection may b	ctive equipment: tive and hygienic measures: Wash hands before breaks and at the end of work. ontrols: No relevant information available. pment: Use suitable respiratory protective device in case of insufficient ventilation. ands: gloves to handle contents of damaged or leaking units. be required for spills. rial has to be impermeable and resistant to the product/ the substance/ the preparation.
Safety g	glasses
	national guidelines concerning the use of protective eyewear. <b>n:</b> Protective work clothing

Information on basic physical and chemical properties		
· Appearance:	and chemical properties	
Form:	Compressed liquefied gas	
Color:	Colorless	
Odor:	Like rotten eggs (mercaptans)	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
• Melting point/Melting range:	Not determined.	
· Boiling point/Boiling range:	-12 °C (10 °F)	
· Flash point:	-60 °C (-76 °F)	
Flammability (solid, gaseous):	Not determined.	



# acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 05/29/2019

Revision: 05/29/2019

Trade name: Butane Lighter

	(Cont'd. of page
· Auto-ignition temperature:	365 °C (689 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not self-igniting.
<sup>.</sup> Danger of explosion:	Product is not explosive. However, formation of explosive ai vapor mixtures are possible.
· Explosion limits	
Lower:	1.5 Vol %
Upper:	10.9 Vol %
Vapor pressure at 20 °C (68 °F):	8300 hPa (6226 mm Hg)
Density:	Not determined.
Relative density:	Not determined.
Vapor density:	Not determined.
Evaporation rate:	Not applicable.
· Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wat	er): Not determined.
· Viscosity	
Dynamic:	Not determined.
Kinematic:	Not determined.
Other information	No relevant information available.

# 10 Stability and reactivity

· Reactivity: No relevant information available.

- · Chemical stability:
- Thermal decomposition / conditions to be avoided:

Contains gas under pressure; may explode if heated.

- Possibility of hazardous reactions:
- Extremely flammable gas.
- Reacts with oxidizing agents.
- Conditions to avoid: Excessive heat and contact with oxidizers.
- · Incompatible materials: Oxidizers
- · Hazardous decomposition products: Carbon monoxide

# 11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification: None.

(Cont'd. on page 6)



# acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 05/29/2019

Trade name: Butane Lighter

Revision: 05/29/2019

(Cont'd. of page 5)

· Primary irritant effect:

• On the skin: No irritant effect.

On the eye: No irritating effect.
Sensitization: No sensitizing effects known.

· IARC (International Agency for Research on Cancer):

TARC (International Agency for Research on Can

None of the ingredients are listed.

# • NTP (National Toxicology Program):

None of the ingredients are listed.

### · OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Inhalation.

Eye contact.

Skin contact.

### · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

· Carcinogenicity: Based on available data, the classification criteria are not met.

• Reproductive toxicity: Based on available data, the classification criteria are not met.

• STOT-single exposure: Based on available data, the classification criteria are not met.

• STOT-repeated exposure: Based on available data, the classification criteria are not met.

· Aspiration hazard: Based on available data, the classification criteria are not met.

# **12 Ecological information**

# <sup>·</sup> Toxicity

· Aquatic toxicity No relevant information available.

· Persistence and degradability No relevant information available.

- · Bioaccumulative potential: No relevant information available.
- **Mobility in soil:** No relevant information available.
- Additional ecological information
- · General notes: Generally not hazardous for water

# Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- Other adverse effects: No relevant information available.

# **13 Disposal considerations**

# <sup>·</sup> Waste treatment methods

# · Recommendation:

Contact waste processors for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

(Cont'd. on page 7)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 05/29/2019

Trade name: Butane Lighter

Revision: 05/29/2019

(Cont'd. of page 6)

### Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

UN-Number	
DOT, ADR, IMDG, IATA	UN1057
	011037
UN proper shipping name	
DOT, IMDG, IATA	LIGHTERS
ADR	1057 LIGHTERS
Transport hazard class(es)	
DOT	
2	
Class	2.1
Label	2.1
	2.1
ADR, IMDG, IATA	
Class	2.1
Label	2.1
Packing group	This UN-number is not assigned a packing group.
Environmental hazards	
Marine pollutant:	No
•	
Special precautions for user	Not applicable.

# **15 Regulatory information**

 Safety, health and environmental regulations/legislation specific for the substance or mixture
 United States (USA)

· SARA

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

(Cont'd. on page 8)





Printing date: 05/29/2019

Revision: 05/29/2019

Trade name: Butane Lighter

(Cont'd. of page 7)
Section 313 (Specific toxic chemical listings):
None of the ingredients are listed.
· TSCA (Toxic Substances Control Act)
All ingredients are listed.
<ul> <li>Proposition 65 (California)</li> <li>Note: There are no Proposition 65 substances listed in this chemical formulation. However, the metal container may contain trace amounts (less than 0.1% by weight) of lead, a substance known to the State of California to cause reproductive toxicity (males and females), developmental toxicity, and/or cancer. Increased risk of lead toxicity is not anticipated with normal use of this product. Notes below reference the chemical formulation only.</li> </ul>
· Chemicals known to cause cancer:
None of the ingredients are listed.
· Chemicals known to cause reproductive toxicity for females:
None of the ingredients are listed.
· Chemicals known to cause reproductive toxicity for males:
None of the ingredients are listed.
· Chemicals known to cause developmental toxicity:
None of the ingredients are listed.
· Carcinogenic categories
EPA (Environmental Protection Agency):
None of the ingredients are listed.
· IARC (International Agency for Research on Cancer):
None of the ingredients are listed.
• NIOSH-Ca (National Institute for Occupational Safety and Health):
None of the ingredients are listed.
· Canada · Canadian substance listings
· Canadian Domestic Substances List (DSL):
All ingredients are listed.
· Canadian Ingredient Disclosure list (limit 0.1%):
None of the ingredients are listed.
· Canadian Ingredient Disclosure list (limit 1%):
106-97-8 butane
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 03/02/2016 / -

(Cont'd. on page 9)



# Printing date: 05/29/2019

Trade name: Butane Lighter

Revision: 05/29/2019

	(Cont'd. of pag
Abbreviations and	nyms'
	incerning the International Carriage of Dangerous Goods by Road
	Code for Dangerous Goods
DOT: US Department of	
IATA: International Air Tr	
CAS: Chemical Abstracts	vice (division of the American Chemical Society)
LC50: Lethal concentration	) percent
LD50: Lethal dose, 50 pe	
PBT: Persistent, Bioaccu	
vPvB: very Persistent and	
NIOSH: National Institute	
OSHA: Occupational Saf	
Flam. Gas 1: Flammable	
Press. Gas: Gases under	
Press. Gas: Gases under	sure: Liquetied gas
Sources	
	micals Agency (echa.europa.eu)
Website, US EPA S	stance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/hor
overview/home.do)	
	racts Registry, American Chemical Society (www.cas.org)
	e, 6th ed., Rose, Vernon, ed. ISBN: ISBN: 978-0-470-07488-6
	xicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISI
978-0-07-176923-5.	
Safety Data Sheets,	vidual Manufacturers
-	